

MARTIN'S®

FLY-BAN SYNERGIZED POUR-ON

- Controls lice and flies on beef cattle, lactating and non-lactating dairy cattle and calves when applied as a pour-on, mist spray or back rubber
- Controls keds on sheep and lambs when applied as a pour-on.
- Controls flies on horses when applied as a wipe-on, pour-on or ready to use spray.
- Controls *Flies *Keds *Lice *Gnats *Ticks

ACTIVE INGREDIENT:

*Permethrin 7.4%

**Piperonyl Butoxide, Technical 7.4%

INERT INGREDIENTS*:** 85.2%

TOTAL: 100.00%

*Cis/trans isomers ratio: Max. 55% (+/-) cis and Min. 45% (+/-) trans.

**Equivalent to Min. 5.92% (butylcarbityl) 6-(propylpiperonyl) ether
and 1.48% related compounds

***Contains petroleum distillates.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back/Side Label Panel for Additional Precautionary Statements

Net Contents [pt, qt, gal, 2.5 gal, 55 gal]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: This is a highly concentrated formulation. Use only with an accurate measuring container or applicator.

READY TO USE - No dilution necessary (except for back rubber devices.)

APPLY TO	TARGET INSECTS	APPLICATION INSTRUCTIONS
Lacting and Non-lacting Dairy Cattle, Beef Cattle and Calves	Lice, Horn Flies, Face Flies. Aids in control of Horse Flies, Stable Flies, House Flies, Mosquitoes and Black Flies	Dosage: Apply 1.5 ml per 100 pounds of body weight of animal up to a maximum of 15 ml for any one animal. To control heavy horn fly infestations apply 2.0 ml per 100 pounds of body weight up to a maximum of 20 ml for any one animal. Pour-On: Pour correct dose along back and down face. Ready-To-Use Spray: Use undiluted in a mist sprayer to apply correct dose. Apply directly to neck, face, back, legs and ears. Back Rubber Use: Mix 64 ml (2.1 fl. ozs.) per gallon of mineral oil. Keep rubbing device charged. Results improved by daily forced use.
Sheep and Lambs	Sheep Keds and Lice	Pour On: Pour along back. Apply 1 ml per 50 pounds body weight of animal, up to a maximum of 12 ml for any one animal. For optimum control, all animals in the flock should be treated after shearing.
Horses and Foals	Stable Flies, Horn Flies, Face Flies, House Flies, Eye Gnats and Ticks. Aids in control of Horse Flies, Mosquitoes and Black Flies	Wipe On: Apply 8 ml to 16 ml as a wipe on. Dampen an applicator mitt, cloth or toweling (Turkish) with this product. Rub over hair with special attention to the legs, shoulders, neck and facial areas where flies tend to congregate. Be especially careful not to get in horses eyes. Ready-To-Use Spray: Use this product after riding or exercise. Use undiluted in a mist sprayer, applying 8 ml to 16 ml per animal. Apply directly onto attached ticks.

Horses	Stable Flies, Horn Flies, Face Flies, House Flies, Mosquitoes and Black Flies	Pour On: After riding or exercise, pour 8 ml to 16 ml of this product along the back and down the face of MATURE horses, being careful to avoid the eyes. Do not use this method of application on foals.
Premises-In and Around Horse, Beef, Dairy, Swine, Sheep and Poultry Premises, Animal Hospital Pens & Kennels and "Outside" Meat Processing Premises	House Flies, Stable Flies, Face Flies, Gnats, Mosquitoes, Black Flies, Fleas, Little House Fleas (Fannia spp.) Aids in control of Cockroaches, Ants, Spiders and Crickets	Ready-To-Use Spot or Premise Spray: Use undiluted in a mist sprayer. Apply directly to surface to leave a residual insecticidal coating, paying particular attention to areas where insects crawl or a light. 500 ml will treat approximately 7,200 square feet.

For cattle and sheep, repeat treatment as needed, but not more than once every two weeks. For optimum lice control, two treatments at a 14 day interval are recommended.

Special Notes: This product is not effective in controlling cattle grubs. This is an oil-base, ready-to-use product that may leave an oily appearance on the hair coat of some animals. This product should be used in an integrated pest management system which may involve repeat treatments and the use of other pest control practices.

[For container sizes 1 qt. to 2½ gallons the following Storage and Disposal statement will be used.]

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal. Storage: Store in cool, dry area away from children and domestic animals. Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor ou outdoor drain.

[For container sizes 5 gallons to 55 gallons the following Storage and Disposal statement will be used.]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep container sealed when not in use. Do not store near food or feed. Pesticide wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. If clothing becomes contaminated remove and wash before reuse. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

Have the product container or label with you when calling the poison control center or doctor, or going for treatment.

If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible.• Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.

Note to Physician: This product may pose an aspiration pneumonia hazard. Contains petroleum distillate.

Emergency Phone Numbers:

! Transportation or spill, call CHEMTREC 800-424-9300

! Human health, call Poison Control Center at 800-222-1222

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

NOTE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with label DIRECTIONS and PRECAUTIONS.

CONTROL SOLUTIONS, INC.
5903 GENOA-RED BLUFF
PASADENA, TEXAS 77507-1041
281-892-2500

EPA Reg. No. 53883-74
EPA Est. No. 53883-TX-002